

bw Jan 31-Feb 6 1995.log

RCS file: /p/cvsroot/atlas/BOM,v

Working file: atlas/BOM

head: 7.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 7.0

keyword substitution: kv

total revisions: 1799; selected revisions: 10

description:

revision 2.24

date: 1995/02/04 19:04:24; author: geert; state: Exp; lines: +2 -2

Release Target: atlas/doc

ddedTemplate file

Geert

revision 2.23

date: 1995/02/03 20:51:08; author: geert; state: Exp; lines: +2 -2

Release Target: atlas/doc

PC stuff

Geert

revision 2.22

date: 1995/02/03 20:41:44; author: geert; state: Exp; lines: +2 -2

Release Target: atlas/doc

Initial che-in for cache file

Geert

revision 2.21

date: 1995/02/03 20:39:29; author: geert; state: Exp; lines: +2 -2

Release Target: atlas/doc

register file

Geert

revision 2.20

date: 1995/02/02 19:33:34; author: geert; state: Exp; lines: +2 -2

Release Target: atlas/doc

cosmetic changes

Geert

revision 2.19

date: 1995/02/02 18:50:58; author: geert; state: Exp; lines: +2 -2

Release Target: atlas/doc

release new doc

Geert

revision 2.18

date: 1995/02/02 18:25:46; author: geert; state: Exp; lines: +2 -2

Release Target: atlas/doc

Release layout.html

Geert

revision 2.17
date: 1995/02/01 05:02:45; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

release solder design rule data

Geert

revision 2.16
date: 1995/02/01 04:56:08; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

Newdata

Geert

revision 2.15
date: 1995/01/31 20:38:54; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

build doc files

Geert

=====
RCS file: /p/cvsroot/atlas/dcell/cache.dcell,v
Working file: atlas/dcell/cache.dcell
head: 1.6
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.6
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 05:38:29; author: geert; state: Exp; lines: +4 -4
changed to CSM process

Geert

=====
RCS file: /p/cvsroot/atlas/doc/BOM,v
Working file: atlas/doc/BOM
head: 37.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 37.0
keyword substitution: kv
total revisions: 83; selected revisions: 20
description:
releasebom adding BOM

revision 18.0
date: 1995/02/04 19:04:13; author: geert; state: Exp; lines: +1 -1

bw Jan 31-Feb 6 1995.log

Release Target: atlas/doc

ddedTemplate file

Geert

revision 17.1

date: 1995/02/04 19:04:05; author: geert; state: Exp; lines: +5 -4
releasebom: File needs to be up-to-date to use commit -r

revision 17.0

date: 1995/02/03 20:50:57; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

PC stuff

Geert

revision 16.1

date: 1995/02/03 20:50:50; author: geert; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r

revision 16.0

date: 1995/02/03 20:41:34; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

Initial che-in for cache file

Geert

revision 15.1

date: 1995/02/03 20:41:27; author: geert; state: Exp; lines: +2 -1
releasebom: File needs to be up-to-date to use commit -r

revision 15.0

date: 1995/02/03 20:39:17; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

register file

Geert

revision 14.1

date: 1995/02/03 20:39:08; author: geert; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r

revision 14.0

date: 1995/02/02 19:33:21; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

cosmetic changes

Geert

revision 13.1

date: 1995/02/02 19:33:12; author: geert; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r

revision 13.0

date: 1995/02/02 18:50:46; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

release new doc

bw Jan 31-Feb 6 1995.log

Geert

revision 12.1
date: 1995/02/02 18:50:39; author: geert; state: Exp; lines: +3 -2
releasebom: File needs to be up-to-date to use commit -r

revision 12.0
date: 1995/02/02 18:25:35; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

Release layout.html

Geert

revision 11.1
date: 1995/02/02 18:25:28; author: geert; state: Exp; lines: +3 -2
releasebom: File needs to be up-to-date to use commit -r

revision 11.0
date: 1995/02/01 05:02:34; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

release solder design rule data

Geert

revision 10.1
date: 1995/02/01 05:02:26; author: geert; state: Exp; lines: +3 -2
releasebom: File needs to be up-to-date to use commit -r

revision 10.0
date: 1995/02/01 04:55:58; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

Newdata

Geert

revision 9.1
date: 1995/02/01 04:55:50; author: geert; state: Exp; lines: +3 -2
releasebom: File needs to be up-to-date to use commit -r

revision 9.0
date: 1995/01/31 20:38:41; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

build doc files

Geert

revision 8.1
date: 1995/01/31 20:38:33; author: geert; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/doc/Attic/Makefile,v
working file: atlas/doc/Makefile
head: 1.13
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13; selected revisions: 6

bw Jan 31-Feb 6 1995.log

description:

revision 1.12
date: 1995/02/04 19:10:15; author: geert; state: Exp; lines: +2 -2
Initial check-in
Geert

revision 1.11
date: 1995/02/04 19:03:14; author: geert; state: Exp; lines: +2 -2
Initial check-in

Geert

revision 1.10
date: 1995/02/02 18:40:31; author: geert; state: Exp; lines: +3 -2
moved this here from cronus

Geetr

revision 1.9
date: 1995/02/02 18:21:53; author: geert; state: Exp; lines: +2 -2
Initial check-in

Geert

revision 1.8
date: 1995/02/01 04:54:49; author: geert; state: Exp; lines: +2 -2
CSM solder rules file

Geert

revision 1.7
date: 1995/01/31 20:38:02; author: geert; state: Exp; lines: +2 -2
Build cr

Geert

=====
RCS file: /p/cvsroot/atlas/doc/cc.ht,v
working file: atlas/doc/cc.ht
head: 15.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 15.3
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 15.2
date: 1995/02/04 19:03:16; author: geert; state: Exp; lines: +2 -2
Initial check-in

Geert

revision 15.1
date: 1995/02/03 20:40:48; author: geert; state: Exp;
cache initial check-in

Geert

bw Jan 31-Feb 6 1995.log
RCS file: /p/cvsroot/atlas/doc/cr.ht,v
Working file: atlas/doc/cr.ht
head: 5.6
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 5.6
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 5.3
date: 1995/02/03 20:30:09; author: geert; state: Exp; lines: +27 -8
Added physical constraints

Geert
=====

RCS file: /p/cvsroot/atlas/doc/ctag.ht,v
Working file: atlas/doc/ctag.ht
head: 17.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 17.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 17.1
date: 1995/02/04 19:03:18; author: geert; state: Exp;
Initial check-in

Geert
=====

RCS file: /p/cvsroot/atlas/doc/gardsrules.ht,v
Working file: atlas/doc/gardsrules.ht
head: 12.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 12.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 12.1
date: 1995/02/02 18:40:33; author: geert; state: Exp;
moved this here from cronus

Geetr
=====

RCS file: /p/cvsroot/atlas/doc/layout.ht,v
Working file: atlas/doc/layout.ht
head: 11.18
branch:
locks: strict
access list:

bw Jan 31-Feb 6 1995.log

symbolic names:

b4_rich: 11.18

keyword substitution: kv

total revisions: 18; selected revisions: 6

description:

revision 11.6

date: 1995/02/05 18:40:47; author: geert; state: Exp; lines: +5 -5

Minor changes

Geert

revision 11.5

date: 1995/02/04 18:53:25; author: geert; state: Exp; lines: +2 -1

Added a rules for custom block domensions

Geert

revision 11.4

date: 1995/02/03 20:50:25; author: geert; state: Exp; lines: +2 -2

Did the politically correct thing : change Layout Rules
into Layout Guidelines.

Geert

revision 11.3

date: 1995/02/02 19:32:26; author: geert; state: Exp; lines: +4 -2

point to gardsrules file

Geert

revision 11.2

date: 1995/02/02 18:24:59; author: geert; state: Exp; lines: +6 -1

Added more layout rules

Geert

revision 11.1

date: 1995/02/02 18:21:55; author: geert; state: Exp;

Initial check-in

Geert

=====

RCS file: /p/cvsroot/atlas/doc/solderrules.ht,v

working file: atlas/doc/solderrules.ht

head: 10.1

branch:

locks: strict

access list:

symbolic names:

b4_rich: 10.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 10.1

date: 1995/02/01 05:01:41; author: geert; state: Exp;

CSM solder design rules

Geert

=====

bw Jan 31-Feb 6 1995.log
RCS file: /p/cvsroot/atlas/doc/Attic/solderrules.html,v
Working file: atlas/doc/solderrules.html
head: 9.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 9.2
date: 1995/02/01 05:01:44; author: geert; state: Exp; lines: +2 -2
CSM solder design rules

Geert

revision 9.1
date: 1995/02/01 04:54:51; author: geert; state: Exp;
CSM solder rules file

Geert
=====

RCS file: /p/cvsroot/atlas/doc/Attic/stdcells.ht,v
Working file: atlas/doc/stdcells.ht
head: 18.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 18.1
date: 1995/02/04 19:10:17; author: geert; state: Exp;
Initial check-in
Geert
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvandlb17qm/Attic/spice.1.1,v
Working file: atlas/ged/xv/xvandlb17qm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:49:39; author: ong; state: Exp; lines: +1196 -1190
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvandlb17qm/Attic/spice_cn.1.1,v
Working file: atlas/ged/xv/xvandlb17qm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:

bw Jan 31-Feb 6 1995.log

symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:49:46; author: ong; state: Exp; lines: +324 -322
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvinvnm/Attic/spice.1.1,v
working file: atlas/ged/xv/xvinvnm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:49:52; author: ong; state: Exp; lines: +138 -131
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvinvnm/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvinvnm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:49:54; author: ong; state: Exp; lines: +37 -37
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvlataqm/Attic/spice.1.1,v
working file: atlas/ged/xv/xvlataqm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:49:59; author: ong; state: Exp; lines: +290 -282
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvlataqm/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvlataqm/spice_cn.1.1
head: 1.2
branch:
locks: strict

bw Jan 31-Feb 6 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:01; author: ong; state: Exp; lines: +87 -85
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvlatbqm/Attic/spice.1.1,v
working file: atlas/ged/xv/xvlatbqm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:06; author: ong; state: Exp; lines: +288 -280
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvlatbqm/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvlatbqm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:08; author: ong; state: Exp; lines: +87 -85
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8nm/Attic/spice.1.1,v
working file: atlas/ged/xv/xvmux8nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:14; author: ong; state: Exp; lines: +315 -309
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux8nm/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvmux8nm/spice_cn.1.1
head: 1.2
branch:

bw Jan 31-Feb 6 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:16; author: ong; state: Exp; lines: +142 -140
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux1b8nm/Attic/spice.1.1,v
working file: atlas/ged/xv/xvmux1b8nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:21; author: ong; state: Exp; lines: +1561 -1545
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvmux1b8nm/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvmux1b8nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:31; author: ong; state: Exp; lines: +456 -452
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvnand4nm/Attic/spice.1.1,v
working file: atlas/ged/xv/xvnand4nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:37; author: ong; state: Exp; lines: +362 -354
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvnand4nm/Attic/spice_cn.1.1,v
working file: atlas/ged/xv/xvnand4nm/spice_cn.1.1
head: 1.2

bw Jan 31-Feb 6 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:39; author: ong; state: Exp; lines: +106 -106
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvnor4nm/Attic/spice.1.1,v
Working file: atlas/ged/xv/xvnor4nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:44; author: ong; state: Exp; lines: +363 -347
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvnor4nm/Attic/spice_cn.1.1,v
Working file: atlas/ged/xv/xvnor4nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:48; author: ong; state: Exp; lines: +102 -102
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvor1a17qm/Attic/spice.1.1,v
Working file: atlas/ged/xv/xvor1a17qm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:53; author: ong; state: Exp; lines: +1195 -1187
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvor1a17qm/Attic/spice_cn.1.1,v
Working file: atlas/ged/xv/xvor1a17qm/spice_cn.1.1

bw Jan 31-Feb 6 1995.log

head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:51:01; author: ong; state: Exp; lines: +319 -317
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas/leafgen/Makefile,v
Working file: atlas/leafgen/Makefile
head: 1.33
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.33
keyword substitution: kv
total revisions: 33; selected revisions: 1
description:

revision 1.1
date: 1995/02/02 20:07:39; author: wingard; state: Exp;
Standard cell documentation.
=====

RCS file: /p/cvsroot/atlas/leafgen/Attic/std_cells.ht,v
Working file: atlas/leafgen/std_cells.ht
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/02/02 20:07:41; author: wingard; state: Exp;
Standard cell documentation.
=====

RCS file: /p/cvsroot/atlas2/BOM,v
Working file: atlas2/BOM
head: 201.2755
branch:
locks: strict
access list:
symbolic names:
b4_rich: 201.2700
keyword substitution: kv
total revisions: 4418; selected revisions: 10
description:

revision 2.24
date: 1995/02/04 19:04:24; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

ddedTemplate file

Geert

revision 2.23

date: 1995/02/03 20:51:08; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

PC stuff

Geert

revision 2.22

date: 1995/02/03 20:41:44; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

Initial che-in for cache file

Geert

revision 2.21

date: 1995/02/03 20:39:29; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

register file

Geert

revision 2.20

date: 1995/02/02 19:33:34; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

cosmetic changes

Geert

revision 2.19

date: 1995/02/02 18:50:58; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

release new doc

Geert

revision 2.18

date: 1995/02/02 18:25:46; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

Release layout.html

Geert

revision 2.17

date: 1995/02/01 05:02:45; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

release solder design rule data

Geert

revision 2.16

date: 1995/02/01 04:56:08; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

bw Jan 31-Feb 6 1995.log

Newdata

Geert

revision 2.15
date: 1995/01/31 20:38:54; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

build doc files

Geert

=====
RCS file: /p/cvsroot/atlas2/dcell/Attic/cache.dcell,v
Working file: atlas2/dcell/cache.dcell
head: 200.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 05:38:29; author: geert; state: Exp; lines: +4 -4
changed to CSM process

Geert

=====
RCS file: /p/cvsroot/atlas2/doc/BOM,v
Working file: atlas2/doc/BOM
head: 208.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 203.0
keyword substitution: kv
total revisions: 101; selected revisions: 20
description:
releasebom adding BOM

revision 18.0
date: 1995/02/04 19:04:13; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

ddedTemplate file

Geert

revision 17.1
date: 1995/02/04 19:04:05; author: geert; state: Exp; lines: +5 -4
releasebom: File needs to be up-to-date to use commit -r

revision 17.0
date: 1995/02/03 20:50:57; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

PC stuff

Geert

revision 16.1

bw Jan 31-Feb 6 1995.log
date: 1995/02/03 20:50:50; author: geert; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r

revision 16.0
date: 1995/02/03 20:41:34; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

Initial che-in for cache file

Geert

revision 15.1
date: 1995/02/03 20:41:27; author: geert; state: Exp; lines: +2 -1
releasebom: File needs to be up-to-date to use commit -r

revision 15.0
date: 1995/02/03 20:39:17; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

register file

Geert

revision 14.1
date: 1995/02/03 20:39:08; author: geert; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r

revision 14.0
date: 1995/02/02 19:33:21; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

cosmetic changes

Geert

revision 13.1
date: 1995/02/02 19:33:12; author: geert; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r

revision 13.0
date: 1995/02/02 18:50:46; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

release new doc

Geert

revision 12.1
date: 1995/02/02 18:50:39; author: geert; state: Exp; lines: +3 -2
releasebom: File needs to be up-to-date to use commit -r

revision 12.0
date: 1995/02/02 18:25:35; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

Release layout.html

Geert

revision 11.1
date: 1995/02/02 18:25:28; author: geert; state: Exp; lines: +3 -2
releasebom: File needs to be up-to-date to use commit -r

bw Jan 31-Feb 6 1995.log

revision 11.0

date: 1995/02/01 05:02:34; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

release solder design rule data

Geert

revision 10.1

date: 1995/02/01 05:02:26; author: geert; state: Exp; lines: +3 -2
releasebom: File needs to be up-to-date to use commit -r

revision 10.0

date: 1995/02/01 04:55:58; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

Newdata

Geert

revision 9.1

date: 1995/02/01 04:55:50; author: geert; state: Exp; lines: +3 -2
releasebom: File needs to be up-to-date to use commit -r

revision 9.0

date: 1995/01/31 20:38:41; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

build doc files

Geert

revision 8.1

date: 1995/01/31 20:38:33; author: geert; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas2/doc/Attic/Makefile,v

working file: atlas2/doc/Makefile

head: 1.13

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 13; selected revisions: 6

description:

revision 1.12

date: 1995/02/04 19:10:15; author: geert; state: Exp; lines: +2 -2
Initial check-in

Geert

revision 1.11

date: 1995/02/04 19:03:14; author: geert; state: Exp; lines: +2 -2
Initial check-in

Geert

revision 1.10

date: 1995/02/02 18:40:31; author: geert; state: Exp; lines: +3 -2
moved this here from cronus

Geetr

bw Jan 31-Feb 6 1995.log

revision 1.9
date: 1995/02/02 18:21:53; author: geert; state: Exp; lines: +2 -2
Initial check-in

Geert

revision 1.8
date: 1995/02/01 04:54:49; author: geert; state: Exp; lines: +2 -2
CSM solder rules file

Geert

revision 1.7
date: 1995/01/31 20:38:02; author: geert; state: Exp; lines: +2 -2
Build cr

Geert

=====
RCS file: /p/cvsroot/atlas2/doc/cc.ht,v
working file: atlas2/doc/cc.ht
head: 200.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 5; selected revisions: 2
description:

revision 15.2
date: 1995/02/04 19:03:16; author: geert; state: Exp; lines: +2 -2
Initial check-in

Geert

revision 15.1
date: 1995/02/03 20:40:48; author: geert; state: Exp;
cache initial check-in

Geert

=====
RCS file: /p/cvsroot/atlas2/doc/cr.ht,v
working file: atlas2/doc/cr.ht
head: 200.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 5.3
date: 1995/02/03 20:30:09; author: geert; state: Exp; lines: +27 -8
Added physical constraints

Geert

bw Jan 31-Feb 6 1995.log

RCS file: /p/cvsroot/atlas2/doc/ctag.ht,v
working file: atlas2/doc/ctag.ht
head: 200.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 17.1
date: 1995/02/04 19:03:18; author: geert; state: Exp;
Initial check-in

Geert

=====

RCS file: /p/cvsroot/atlas2/doc/gardsrules.ht,v
working file: atlas2/doc/gardsrules.ht
head: 200.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 12.1
date: 1995/02/02 18:40:33; author: geert; state: Exp;
moved this here from cronus

Geetr

=====

RCS file: /p/cvsroot/atlas2/doc/layout.ht,v
working file: atlas2/doc/layout.ht
head: 200.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 20; selected revisions: 6
description:

revision 11.6
date: 1995/02/05 18:40:47; author: geert; state: Exp; lines: +5 -5
Minor changes

Geert

revision 11.5
date: 1995/02/04 18:53:25; author: geert; state: Exp; lines: +2 -1
Added a rules for custom block domensions

Geert

bw Jan 31-Feb 6 1995.log

revision 11.4
date: 1995/02/03 20:50:25; author: geert; state: Exp; lines: +2 -2
Did the politically correct thing : change Layout Rules
into Layout Guidelines.

Geert

revision 11.3
date: 1995/02/02 19:32:26; author: geert; state: Exp; lines: +4 -2
point to gardsrules file

Geert

revision 11.2
date: 1995/02/02 18:24:59; author: geert; state: Exp; lines: +6 -1
Added more layout rules

Geert

revision 11.1
date: 1995/02/02 18:21:55; author: geert; state: Exp;
Initial check-in

Geert

=====

RCS file: /p/cvsroot/atlas2/doc/solderrules.ht,v
working file: atlas2/doc/solderrules.ht
head: 200.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 10.1
date: 1995/02/01 05:01:41; author: geert; state: Exp;
CSM solder design rules

Geert

=====

RCS file: /p/cvsroot/atlas2/doc/Attic/solderrules.html,v
working file: atlas2/doc/solderrules.html
head: 9.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 9.2
date: 1995/02/01 05:01:44; author: geert; state: Exp; lines: +2 -2
CSM solder design rules

Geert

revision 9.1

bw Jan 31-Feb 6 1995.log
date: 1995/02/01 04:54:51; author: geert; state: Exp;
CSM solder rules file

Geert

RCS file: /p/cvsroot/atlas2/doc/Attic/stdcells.ht,v
Working file: atlas2/doc/stdcells.ht
head: 18.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 18.1
date: 1995/02/04 19:10:17; author: geert; state: Exp;
Initial check-in
Geert

RCS file: /p/cvsroot/atlas2/ged/xv/xvandlb17qm/Attic/spice.1.1,v
Working file: atlas2/ged/xv/xvandlb17qm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:49:39; author: ong; state: Exp; lines: +1196 -1190
Misc edits mostly to location properties

RCS file: /p/cvsroot/atlas2/ged/xv/xvandlb17qm/Attic/spice_cn.1.1,v
Working file: atlas2/ged/xv/xvandlb17qm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:49:46; author: ong; state: Exp; lines: +324 -322
Misc edits mostly to location properties

RCS file: /p/cvsroot/atlas2/ged/xv/xvinvnm/Attic/spice.1.1,v
Working file: atlas2/ged/xv/xvinvnm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

bw Jan 31-Feb 6 1995.log
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:49:52; author: ong; state: Exp; lines: +138 -131
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvinvm/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvinvm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:49:54; author: ong; state: Exp; lines: +37 -37
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvlataqm/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvlataqm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:49:59; author: ong; state: Exp; lines: +290 -282
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvlataqm/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvlataqm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:01; author: ong; state: Exp; lines: +87 -85
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvlatbqm/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvlatbqm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:

bw Jan 31-Feb 6 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:06; author: ong; state: Exp; lines: +288 -280
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvlatbqm/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvlatbqm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:08; author: ong; state: Exp; lines: +87 -85
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8nm/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvmux8nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:14; author: ong; state: Exp; lines: +315 -309
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux8nm/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvmux8nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:16; author: ong; state: Exp; lines: +142 -140
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux1b8nm/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvmux1b8nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:

bw Jan 31-Feb 6 1995.log

symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:21; author: ong; state: Exp; lines: +1561 -1545
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvmux1b8nm/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvmux1b8nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:31; author: ong; state: Exp; lines: +456 -452
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvnand4nm/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvnand4nm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:37; author: ong; state: Exp; lines: +362 -354
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvnand4nm/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvnand4nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:39; author: ong; state: Exp; lines: +106 -106
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvnor4nm/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvnor4nm/spice.1.1
head: 1.2
branch:
locks: strict

bw Jan 31-Feb 6 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:44; author: ong; state: Exp; lines: +363 -347
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvnr4nm/Attic/spice_cn.1.1,v
Working file: atlas2/ged/xv/xvnr4nm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:48; author: ong; state: Exp; lines: +102 -102
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvor1a17qm/Attic/spice.1.1,v
Working file: atlas2/ged/xv/xvor1a17qm/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:50:53; author: ong; state: Exp; lines: +1195 -1187
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvor1a17qm/Attic/spice_cn.1.1,v
Working file: atlas2/ged/xv/xvor1a17qm/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/02/01 19:51:01; author: ong; state: Exp; lines: +319 -317
Misc edits mostly to location properties
=====

RCS file: /p/cvsroot/atlas2/leafgen/Makefile,v
Working file: atlas2/leafgen/Makefile
head: 200.18
branch:

bw Jan 31-Feb 6 1995.log

locks: strict
access list:
symbolic names:
 b4_rich: 200.18
keyword substitution: kv
total revisions: 50; selected revisions: 1
description:

revision 1.1
date: 1995/02/02 20:07:39; author: wingard; state: Exp;
Standard cell documentation.

RCS file: /p/cvsroot/atlas2/leafgen/Attic/std_cells.ht,v
working file: atlas2/leafgen/std_cells.ht
head: 1.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/02/02 20:07:41; author: wingard; state: Exp;
Standard cell documentation.
